



DELIVERED WITH PRIDE

YANDIYA GROUP LIMITED

Add: 1201 Tower B, Zhan Tao, Technology Building, Minzhi Avenue, Long Hua, Bao An, Shenzhen 518131 China
Tel: 86-755-23303746 Fax: 86-755-86203626
sales@yandiya.com www.yandiya.com

T8-LED TUBE



Product Name: T5 LED Tube
Issue Date: 2013-07-24

Quality Department	Engineer Department	Producer
Sam Zhang	Zhang yu wang	feng min Fu

➤ Features of the products:

1. Energy conservation, environmental protection, no ultraviolet and infrared and mercury pollution, comply with the UL certification requirements;
2. Aluminum + high quality PC mask, impact resistance is strong, the light is downy does not sting the eyes;
3. High light transmittance mask, shiny surface evenly, no spots, no sense of LED illuminant particles;
4. The use of special packaging and cooling process, the work continued high stability;
5. Can be frequently switch startup, no flicker and glare phenomenon, good color rendering performance;
6. Light appearance, novel style, easy to install and transport;

➤ Applications:

1. 50,000 Hours life expectancy
2. Immediate light: no flickering, no buzzing
3. No EMV problems
4. Environmentally friendly
5. Easy installation



DELIVERED WITH PRIDE


YANDIYA GROUP LIMITED

Add: 1201 Tower B, Zhan Tao, Technology Building, Minzhi Avenue, Long Hua, Bao An, Shenzhen 518131 China
 Tel: 86-755-23303746 Fax: 86-755-86203626
sales@yandiya.com www.yandiya.com

➤ Main Specifications(T=20°C)

Model No.	YL-T50610W	YL-T51215W	YL-T51518W	YL-T51522W
Dimensions	600mm	1200mm	1500mm	1850mm
Power Consumption	10W	15W	18W	22W
Lumens	Clear	910Lm	1425Lm	1800 Lm
	Milky	850 Lm	1350Lm	1690Lm
Luminous Efficiency	Clear	95Lm/W	95Lm/W	100Lm/W
	Milky	85Lm/W	95Lm/W	95Lm/W
Color Temperature	2800K-3200K		Warm White	
	4000K-4500K		Natural White	
	6000K-6500K		Cool White	
CRI	>80			
Beam Angle	120 Degree			

➤ Light Distribution Graph







DELIVERED WITH PRIDE

YANDIYA GROUP LIMITED


Add: 1201 Tower B, Zhan Tao, Technology Building, Minzhi Avenue, Long Hua, Bao An, Shenzhen 518131 China
Tel: 86-755-23303746 Fax: 86-755-86203626
sales@yandiya.com www.yandiya.com



➤ **Lumination Intensity Chart**



➤ **Product Dimensions:**





DELIVERED WITH PRIDE

YANDIYA GROUP LIMITED

Add: 1201 Tower B, Zhan Tao, Technology Building, Minzhi Avenue, Long Hua, Bao An, Shenzhen 518131 China

Tel: 86-755-23303746 Fax: 86-755-86203626

sales@yandiya.com www.yandiya.com

➤ **Notes:**

1. All dimension units are millimeters.
2. All dimension tolerance is $\pm 0.5\text{mm}$ unless otherwise noted

➤ **Packing**

